INDEX

CORROSION

VOLUME 18

JANUARY 1—DECEMBER 31

1962

CONTENTS

Tables of Contents

Alphabetical Subject Index

Alphabetical Index to Authors

PAGE NUMBERS BY MONTHS

Pages		Pages	
1t- 42t	January	251t-276t	July
43t- 84t	February	277t-309t	August
85t-124t	March	311t-349t	September
125t-162t	April	351t-389t	October
163t-203t	May	391t-423t	November
205t-249t	June	425t-454t	December

Table of Contents

CORROSION, Volume 18, 1962

January — Page

Corrosion of Iron in Solutions Containing Ammonium Nitrate, by M. Smialowski and Z. Szklarska-Smialowska 1t
Electrolytic Stress Corrosion Testing of High Tensile Steel Bars, by M. Unz 5t

Symposium on
Corrosion By High Purity Water

Test Facility for Evaluating Heat Exchanger Materials, by Edwin Jules 10t
Shot Peening of Metals for Protection Against Stress Corrosion Cracking, by Henry Suss 17t
Corrosion of Inconel Nickel-Chromium Alloy in Primary Coolants of Pressurized Water Reactors, by H. R. Copson and W. E. Berry 21t
Testing Steam Generator Materials for Pressurized Water Reactor Plants, by John W. McGrew 27t

Causes of a Second Transition Point Occurring During Oxidation of Zirconium Alloys, by B. Cox 33t
Some Structural Effects of Organic N-Containing Compounds on Corrosion Inhibition, by Norman Hackerman, R. M. Hurd and R. R. Annand 37t

February — Page

Mass Transfer of Type 316 Stainless Steel by Liquid Lithium (A Technical Note), by H. W. Leavenworth and D. P. Gregory 43t
Effect of Five Impurities on the High Temperature Water and Steam Corosion Resistance of Zircaloy-2, by L. S. Rubenstein, J. G. Goodwin and F. L. Shubert 45t
A Light-Scattering Method for Measuring Corrosion Rates, by Edward B. Dismukes and William S. Wilcox 55t
High Temperature Slag Corrosion of Metallic Materials (Part 1—Theoretical Considerations of Slag Induced Corrosion), by W. J. Greenert 57t
Testing of Columbium and Columbium Alloys, by Donald L. Macleary 67t
Statistical Correlation of Corrosion Rates Obtained with Electrical Resistance Corrosion Probes, by Howard F. Finley 70t
Derivation of Anodic Dissolution Curve of Alloys from Those of Metallic Components, by W. A. Mueller 73t
Influence of Specimen Geometry and Surface Roughness on Hydrogen Behavior in Steel, by R. M. Hudson, K. J. Riedy and G. L. Stragand 79t

March — Page

Use of the Polarization Technique to Study Corrosion in Aqueous Ammonia Systems, by L. M. Dvoracek and L. L. Neff 85t
High Temperature Slag Corrosion of Metallic Materials (Part 2—Failed Service Parts and Remedial Treatment), by W. J. Greenert 91t
High Temperature Slag Corrosion of Metallic Materials (Part 3—Comparative Resistance of Materials), by W. J. Greenert 95t
Influence of Impurities on the High Temperature Corrosion and Reaction Kinetics of Zirconium in Hydrochloric Acid, by W. E. Kuhn 103t
Unusual Corrosion Growth Products Formed on Copper, by William R. Lasko and Warren K. Tice 116t
Corrosion of Iron in an H_2S-CO_2-H_2O System, by Edward C. Greco and William B. Wright 119t

April — Page

Gases Evolved at Magnesium Anodes and Cathodes in Neutral Salt Solutions, by J. H. Greenblatt 125t
Effect of Oxygen Pressure on Internal Oxidation of Nickel-Aluminum Alloys, by James S. Wolf and Edward B. Evans 129t
Predicting Behavior of Corrosion Resistant Alloys by Potentiostatic Polarization Methods, by N. D. Greene 136t
Discussion 449t
Use of Boehmite Films for Corrosion Protection of Aluminum, by D. G. Altenpohl 143t
Anodic Behavior and Passivation of Tin in Solutions Containing Phosphoric Acid, by Adly Ragheb and Laila A. Kamel 153t
Stress Corrosion of High Strength Cast Aluminum Alloys, by Fred M. Reinhart and William F. Gerhold 158t

May — Page

Corrosion of Mild Steel in 40 Percent Sodium Hydroxide Solution at 316 C, by W. A. Fraser and M. C. Bloom 163t
Discussion 451t
Stress Corrosion Cracking Studies of Austenitic Stainless Steels in Aqueous Ammonium Chloride Solutions, by E. B. Backensto and A. N. Yurick 169t
Corrosion of Alloy Steels in Hot Concentrated Metal Salt Solutions, by A. G. Ostroff 176t
Pulsing Technique for Studying Cavitation Erosion of Metals, by Milton S. Plesset 181t
Theory of Copper and Copper Alloy Corrosion by Water, by Malvern F. Obrecht 189t
An Accelerated Test for Indicating Susceptibility of Aluminum Alloys to Layer Corrosion, by M. K. Budd and F. F. Booth 197t

June — Page

Limits of Substitution of Titanium for Tantalum in Corrosion Resistant Alloys, by C. R. Bishop and R. L. Powell 205t
Performance of Titanium vs Other Materials in Chemical Plant Exposure, by R. S. Sheppard, D. R. Hise, P. J. Gegner and W. L. Wilson 211t
Discussion 449t
Corrosion Inhibition of Aluminum-Zinc Alloy in Hydrochloric Acid Solutions, by K. G. Sheth and T. L. Rama Char 218t
Evaluation of Nuclear Reactor Decontaminants, by R. D. Weed 224t
Wedging Action of Solid Corrosion Product During Stress Corrosion of Austenitic Stainless Steels, by H. W. Pickering, F. H. Beck and M. G. Fontana 230t
Electrochemical Techniques for Measurement and Interpretation of Corrosion, by E. H. Phelps 239t

Discussions

Microbiological Corrosion in Waterfloods: E. E. Nelson, Page 247t; Reply by J. M. Sharpley 247t
Continuous Recording of Pipe to Soil Potential vs Distance: B. H. Wijngaard, Page 248t; Reply by Robert L. Davis 248t
The Low Potential Zinc Anode in Theory and Application: A. W. Peabody, Page 249t; Orville W. Zastrow, Page 249t; Replies by J. R. Wellington 249t

July — Page

A Theory for the Probability Distribution of Soil Conductivity, by Gordon N. Scott 251t
Sulfidation Resistance of Aluminum-Containing Steels, by E. B. Backensto, J. E. Prior, J. W. Sjoberg and R. W. Manuel 253t
Discussion 449t
Influence of Arsenic on Pickling of and Hydrogen Absorption by Mild Steel in Sulfuric Acid Solutions, by R. M. Hudson and G. L. Stragand 259t
Study of Organic Inhibitors for Hydrochloric Acid Attack on Iron, by Olen L. Riggs, Jr. and R. L. Every 262t
Stress Corrosion Crack Nucleation and Growth in Austenitic Stainless Steels, by John F. Eckel 270t

August — Page

Laboratory Flow Test for Evaluation of Oil Well Corrosion Inhibitors, by J. P. Barrett and E. E. Claytor, Jr. 277t
Discussion 450t
Correlations of Oil-Soluble, Water-Dispersible Corrosion Inhibitors in Oil Field Fluids, by C. C. Nathan 282t
Discussion 452t
Anodic Protection of Austenitic Stainless Steels in Sulfuric Acid-Chloride Media, by S. J. Acello and N. D. Greene 286t
High Temperature Corrosion by Catalytically Formed Hydrogen Sulfide, by A. S. Couper and Andrew Dravnieks 291t
Stress-Corrosion Cracking of Steels in Agricultural Ammonia, by A. W. Loginow and E. H. Phelps 299t

September — Page

Symposium on
Corrosion Theory

The Importance of Corrosion Research, by H. H. Uhlig 311t

September—Continued

Recent Studies of the Action of Inorganic Inhibitors, by G. H. Cartledge 316t
General Concepts of Stress-Corrosion Cracking, by S. Barnartt 322t
Discussion 450t
Recent Advances in Understanding of Organic Inhibitors, by Norman Hackerman 332t
Some Electrochemical Methods in Corrosion Research, by A. C. Makrides 338t

October — Page

Potentiodynamic Analysis of the Influence of Surface Active Agents on the Corrosion Resistance of Common and Stainless Steels in Aqueous Solutions, by A. Betti, L. Cavallaro, G. Trabanelli and F. Zucchi 351t
The Polarization Curve and Anodic Protection, by Walter A. Mueller 359t
Corrosion of Carbon Steel and Other Steels in Simulated Boiling-Water Reactor Environment: Phase II, by D. C. Vreeland, G. G. Gaul and W. L. Pearl 368t
Effects of Trace Elements on Stress-Corrosion Cracking of Austenitic Stainless Steels in Chloride Solutions, by F. S. Lang 378t
Kinetics of Oxidation of Columbium and Other Refractory Metals, by John N. Ong, Jr. and W. M. Fassell, Jr. 382t

November — Page

Electrical Potential Responses of Silver, Steel and Brass Stressed in Tension in Sodium Chloride Solutions, by Ken Nobe and S. Tan 391t
Potentiodynamic Investigation on the Influence of Phenylthiourea on the Anodic and Cathodic Polarization Curves of Iron in Acid Solution, by L. Cavallaro, L. Felloni, F. Pulidori and G. Trabanelli 396t
Corrosion of Steel in Concentrated Lithium Hydroxide Solution at 316 C, by M. C. Bloom, W. A. Fraser and M. Krulfeld 401t
A Basis for Design of Aluminum Alloys for High Temperature Water Service, by R. L. Dillon and H. C. Bowen 406t
Corrosion of Zinc in Pressurized Dilute Aqueous Solution Systems, by R. C. Weast and S. L. Shulman 417t
Identification of Corrosion Products on Cobalt and Cobalt Alloys—A Report of NACE Technical Unit Committee T-3B on Corrosion Products 421t

December — Page

Study of Stainless Steel Stress-Corrosion Cracking by Potential Measurements, by Bengt Anderson 425t
Intergranular Sulfur Corrosion in Missile Thrust Chamber Nickel Tubes, by Bernard Steverding 433t
Corrosion Diagrams of Iron and Steel in Oxidizing Media, by V. P. Batrakov 437t
Bibliography on Corrosion Products in High-Temperature Water Systems—A Report of NACE Technical Unit T-3F on Corrosion by High Purity and Related Waters in Nuclear Power and Steam Generating Plants 440t

Discussions

Predicting Behavior of Corrosion Resistant Alloys by Potentiostatic Polarization Methods: M. Prazák 449t
Performance of Titanium vs Other Materials in Chemical Plant Exposures: La Vern Rice, W. O. Beavers, P. J. Gegner, E. V. Kunkel, Page 449t; Replies by R. S. Sheppard 449t
Sulfidation Resistance of Aluminum-Containing Steels: J. E. Carney, J. F. Mason, Page 449t; Replies by R. W. Manuel 449t
Study of Organic Inhibitors for Hydrochloric Acid Attack on Iron: C. C. Nathan, Page 449t; Reply by O. L. Riggs and R. L. Every 450t
Correlations of Oil-Soluble, Water-Dispersible Corrosion Inhibitors in Oil Field Fluids: P. D. Muir, Page 450t; Reply by C. C. Nathan 450t
Laboratory Flow Test for Evaluation of Oil Well Corrosion Inhibitors: B. F. Davis, F. A. Morgan, J. A. Rowe, Jr., H. R. Hanson, Page 450t; Replies by E. E. Claytor, Jr. 450t
Corrosion of Mild Steel in 40 Percent Sodium Hydroxide Solutions at 316 C: G. M. W. Mann and E. C. Potter, Page 451t; Reply by W. A. Fraser and M. C. Bloom 451t
Stress-Corrosion Cracking of Steels in Agricultural Ammonia: J. B. Lawlar, E. S. Troscinski, L. R. Scharfstein, J. B. Horton, Page 453t; Replies by A. W. Loginow and E. H. Phelps 452-3t

Alphabetical Subject Index

CORROSION, Volume 18, 1962

Note: All page numbers in Corrosion are followed by the letter "t" in order to distinguish the technical articles from others to be listed in the five-year CORROSION index for 1960-64.

A

Absorption, hydrogen, rate of in steel as a function of specimen thickness and surface area, 79t

ACID
- Hydrochloric, aluminum-zinc vs, 218t
- ", ambiodic organic inhibitors for, 262t
- ", Amines as inhibitors for, 262t
- ", benzenethiol inhibiting effect in, 262t
- ", boehmite films vs, 143t
- ", columbium vs, 67t
- ", iron vs, 351t, 396t
- ", mild steel vs, 262t
- ", organic inhibitor effectiveness in, 262t
- ", tantalum-titanium vs, 205t
- ", titanium and titanium alloys vs, 211t
- ", zirconium vs, 103t
- Lactic, aluminum vs, 143t
- Nitric-magnesium chloride solution vapor, austenitic stainless steel vs, 230t
- Nitric, iron vs, 1t
- ", passivation of tin in phosphoric acid containing, 153t
- Nitric-sodium chloride solution vapor, austenitic stainless steel vs, 230t
- Nitric, titanium and titanium alloys vs, 211t
- Phosphoric, stainless steel-carbon steel welds vs, 224t
- ", tin vs, 153t
- Sulfamic, stainless steel vs, 224t
- Sulfuric, pickling and hydrogen absorption of mild steel in, 259t
- ", iron vs, 396t
- ", mild steel vs, 259t
- ", steel changed with hydrogen by immersion in, 79t
- ", tantalum-titanium vs, 205t, 211t

Acid solutions, organic N-containing inhibitors tested in, 37t

Acridine, inhibition of hydrochloric acid attack on aluminum-zinc by, 218t

Activation, metals in oxidizing media, 437t

Active-passive metals, electrochemical behavior of, 136t

Additives, fuel oil, 91t
- ", organic, inhibiting effectiveness of in hydrochloric acid, 262t

Adsorption of hydrogen by electrode, 338t
- ", of inhibitors, 332t

Alkalies, boilers affected by, 401t
- ", mild steel vs, 401t

Alkaline earth compounds, inhibiting effect of in slag and fuel oil ash, 91t

Alkalization, boiler usage of, 163t

ALLOYS
- Aluminum, accelerated test for layer corrosion susceptibility of, 197t
- ", effects of casting conditions on, 406t
- ", for high temperature water service, 406t
- ", layer corrosion of, 197t
- Aluminum-nickel, oxygen pressure effect on internal oxidation of, 129t
- Aluminum-steel, 253t
- Aluminum, stress corrosion of, 158t
- Aluminum-zinc, hydrochloric acid vs, 218t
- Chromium-cobalt, oxidation of, 421t
- Chromium-nickel, slag corrosion of, 95t
- Cobalt, identification of corrosion products of, 421t
- Columbium, laboratory testing of, 67t
- Copper, water vs, 189t
- Derivation of anodic dissolution curve from curves of metallic components, 73t
- Iron-aluminum, 253t

A—Continued

ALLOYS (continued)
- Magnesium-aluminum-zinc, sodium chloride vs, 239t
- Manganese, fuel oil ash vs, 95t
- Nickel-aluminum, oxygen pressure effect on internal oxidation of, 129t
- Potentiostatic polarization method used in behavior prediction of, 136t
- Silicon, fuel oil ash corrosion of, 95t
- Steel-aluminum, 253t
- Steel, boiling-water nuclear reactor environment vs, 368t
- Steel, metal salt concentrated solutions vs, 176t
- Tantalum-titanium, 205t
- Titanium, chemical plant environments vs, 211t
- Zirconium, oxidation of, 33t

ALUMINUM
- Acids vs, 239t
- Aircraft, hydrochloric acid vs, 218t
- Alloys, accelerated test for layer corrosion susceptibility of, 197t
- ", for high temperature water service, 406t
- ", fuel oil ash corrosion of, 95t
- ", layer corrosion of, 197t
- ", stress corrosion of, 158t
- Blackening by hydrated oxide films, 143t
- Boehmite protection of, 143t
- Coating, stainless steel protected against fuel oil ash attack by, 91t
- -Iron alloy, slags vs, 95t
- Lactic acid vs, 143t
- -Nickel alloys, oxygen pressure effect on internal oxidation of, 129t
- Oxide films, thermal analysis of, 143t
- Oxides, analytical methods for determination of, 143t
- Polarization in citrate-buffer solution of, 239t
- Sodium chloride vs, 239t
- -Steel alloy, hydrogen sulfide vs, 253t
- Steel sulfidation affected by adding, 253t
- Water or wet steam vs, 143t
- -Zinc alloy, hydrochloric acid vs, 218t
- Zircaloy-2 containing impurities of, high temperature water vs, 45t

Ambiodic organic inhibitors for hydrochloric acid, 262t

Amines, inhibiting effectiveness of in hydrochloric acid, 262t
- ", molecular structure related to inhibitor effectiveness, 37t
- ", secondary, inhibitor effectiveness of, 37t

Ammonia, aqueous, carbon steel vs, 85t
- ", ", polarization technique to study corrosivity of, 85t

Ammonia, steel in ammonium chloride affected by, 169t

Ammoniated water, Inconel vs, 21t

Ammonium chloride, austenitic stainless steel vs, 169t

Ammonium citrate as reactor decontaminant, 224t

Ammonium nitrate, iron corrosion in solutions of, 1t

Ammonium nitrate-sodium nitrate, iron corrosion in solutions of, 1t

Analysis, cobalt corrosion products, 421t

Aniline, inhibiting effectiveness of in hydrochloric acid, 262t

Anneal plus water wash, metals corrosion resistance to fuel oil ash improved by, 91t

Anodes, low potential zinc system, 247t
- ", magnesium, in neutral salt solutions, gases evolved by, 125t

Anodic behavior and passivation of tin in solutions containing phosphoric acid, 153t

Anodic corrosion process, theory of, 316t
- " dissolution curve, alloy, derivation of from metalic component curves, 73t
- " inhibition by phenylthiourea, 396t
- " organic inhibitors for hydrochloric acid, 262t
- " polarization, corrosion resistant alloys, 136t
- " polarization in layer corrosion susceptibility tests on aluminum alloys, 197t
- " protection, application of potentiostatic methods to, 338t
- " ", carbon steel in aqueous ammonia, 85t
- " ", polarization curves provide data for, 359t
- " ", research on, 311t

Aqueous solutions, electrochemical theory of attack by, 239t

Argon-melted zirconium, hydrochloric acid vs, 103t

Arsenic, influence of on pickling and hydrogen absorption of mild steel in sulfuric acid, 259t

Ash, fuel oil, metals vs, 91t

Autoclave tests of Inconel in ammoniated water, 21t

Autoclaves, Zircaloy-2 ingots tested in, 45t

Automobile industry, importance of corrosion research to, 311t

B

Bacteria, cathodic protection affected by, 247t
- ", metal attack affected by, 247t

Barium oxide, fuel oil ash attack on metals inhibited by, 91t

Benzenethiol, inhibiting effectiveness of in hydrochloric acid, 262t

Beryllium carbonate, fuel oil ash attack on metals inhibited by, 91t

Berylliumized surfaces of stainless steel, slags vs, 95t

Blackening, aluminum by hydrated oxide films, 143t

Blade-type growths, copper corrosion products, 116t

Blistering, hydrogen, see Hydrogen blistering

Boehmite, aluminum protection by, 143t
- " films, hydrochloric acid and weak acids vs, 143t
- ", pretreatment of aluminum surface for film formation of, 143t

Boilers, alkali effects on, 401t
- " attack, research on, 311t
- ", fuel oil ash and slag attack on, 91t
- ", sodium hydroxide use in, 163t

Boiling-water reactor environment, steels vs, 368t

Brass, electrical potential response of in NaCl, 391t

Bromine-methanol, boehmite film thickness determination with, 143t

C

Calcium chloride, metals vs, 211t

Calcium chloride-sodium chloride-sodium sulfate, titanium vs, 211t

Calcium chloride, steel stress-corrosion cracking in, 425t

Calcium chloride, steel vs, 176t

Calcium chloride-zinc chloride, steel vs, 176t

Calcium compounds, inhibiting effect in slag and fuel oil ash, 91t

Calcium oxide slurry reduces fuel oil ash attack of metals, 91t

Cans, aluminum, boehmite films to protect in foodstuff uses, 143t

Carbide, steel sensitization precipitation of, 169t

Carbonate, alkaline-hydrogen peroxide solution, steels vs, 224t

C—Continued

Carbon dioxide, dissolved, copper in water containing oxygen affected by, 189t

Carbon dioxide-hydrogen sulfide, iron vs, 119t

Carbon dioxide pressure, gas compression plant corrosion rates related to, 70t

Carboxyl group, organic inhibitors affected by, 262t

Casting conditions, effects of on aluminum alloys, 406t

Catalysts in protective film formation, 316t

Cathodes, magnesium, gases evolved at in neutral salt solutions, 125t

Cathodic inhibition by phenylthiourea, 396t
- ", organic inhibitors for hydrochloric acid, 262t
- ", polarization, corrosion resistant alloys, 136t

CATHODIC PROTECTION
- Bacterial effect on, 247t
- Research on, 311t
- Soil conductivity, probability distribution theory for, 251t
- Stress-corrosion cracking susceptibility affected by, 322t

Cavitation erosion, pulsing technique for study of, 181t

Ceramics, high temperature slag vs, 95t

Cermets, slags vs, 95t

Chemical plant environments, metals vs, 211t
- " " equipment, titanium suitability for, 211t

Chemisorption of inhibitors, 332t

Chloride ion, copper in water affected by addition of, 189t

Chlorides, passivation of iron and steels affected by, 359t
- ", stress corrosion of aluminum alloys in hydrogen peroxide solution containing, 158t

Chloride solutions, titanium equipment vs, 211t

Chlorine, dissolved, metals vs, 211t
- ", gaseous, metals vs, 211t

Chromium alloys, polarization curves of, 73t

Chromium impurity in zirconium, HCl attack related to, 103t
- " in iron and in nickel, laboratory slags vs, 95t

Chromium-iron alloys, aluminum addition effect on sulfidation of, 253t

Chromium-nickel alloys, fuel oil ash corrosion of, 95t

Chromium-nickel steel, slag corrosion of, 91t

Chromium-platinum alloys, polarization of, 136t

Chromate ion as inhibitor, 316t

Citric-buffer solution, polarization of aluminum in, 239t

Coatings, metallic, aluminum over steel for high temperature slag exposure, 91t
- ", paint, fuel oil ash attack reduced by, 91t
- ", research on, 311t

Cobalt alloys, high temperature slag corrosion of, 95t
- " complex alloys, fuel oil ash corrosion of, 95t
- ", identification of corrosion products of, 421t
- ", oxidation of, 421t

Columbium, laboratory testing of, 67t
- ", oxidation kinetics of, 382t
- ", tantalum replacement in alloys by, 205t

Completion fluids, oil well, steel vs, 176t

Compression plant gas, calculation of corrosion rates for, 70t

Compressive stress, effect of on electrical potential responses of metals in NaCl, 391t

Concrete, prestressed, high tensile steel tested in, 5t

C—Continued

Continuous electrochemical mechanism of crack propagation, 322t
Coolants, nuclear reactor, columbium vs, 67t
", primary, for pressurized water reactor, Inconel corrosion in, 21t
Copper and copper alloys, water vs, 189t
Copper, corrosion growth products on, 116t
", effect in alloys on resistance to slags, 95t
" impurities in Zircaloy-2 affect high temperature water attack, 45t
", water-vapor-saturated air vs, 116t
Corrosion products, analysis of after alloy exposure to lithium hydroxide treated water, 21t
" ", cobalt and cobalt alloys, 421t
" ", copper, structure of, 116t
" ", growth of on copper, 116t
" ", high temperature water systems (bibliography), 440t
" ", wedging action of in stress-corrosion cracking, 230t
Cracking, hydrogen, 322t
", intergranular, 322t
", transgranular, 322t
", stress-corrosion, see Stress-Corrosion Cracking
Crack nucleation, 322t
" propagation theories, 322t
Crevice corrosion, steam generator materials for pressurized water reactor plants, 27t
Croloy 16-1 steam generator material tested in simulated nuclear system, 27t

D

Decamethylenimine, inhibitor effectiveness of, 37t
Decontaminants, nuclear reactor evaluation of, 224t
Dendritic pitting, steel in alkaline permanganate solution, 224t
Design, corrosion-resistant alloys, 136t
Deuterium, evolution of at magnesium electrodes in neutral salt solutions, 125t
" oxide, magnesium electrode gas evolution in salt solutions containing, 125t
Di-n-amylamines, inhibitor effectiveness of, 37t
Di-n-butylamines, inhibitor effectiveness of, 37t
Di-n-propylamines, inhibitor effectiveness of, 37t
Ductility of nickel affected by intergranular corrosion, 433t

E

Electrochemical methods, for predicting behavior of corrosion-resistant alloys, 136t
" ", in corrosion research, 338t
Electrochemical potentials, aluminum-zinc in hydrochloric acid, 218t
" techniques, corrosion phenomena studies by, 239t
" theory of corrosion in aqueous solutions, 239t
Electrodes, magnesium, gases evolved in neutral salt solutions at, 125t
Electrolysis, heavy-water-containing neutral salt solutions, 125t
Electrolytic testing, stress corrosion of high-tensile steel, 5t
Electron microscope study, copper corrosion growth products, 116t
Elements, trace, effects of on stress-corrosion cracking of austenitic stainless steels, 378t
Embrittlement, hydrogen, steels in hydrogen sulfide, 119t
" ", of tantalum-titanium, 205t
" ", research on, 311t
Embrittlement of nickel exposed to sulfur, 433t
EMP responses of metals in NaCl, 391t
Erosion, cavitation, pulsing technique for study of, 181t
Erosion-corrosion, copper and copper alloys in water, 189t
Etching, differential, layer corrosion susceptibility of aluminum alloys tested by, 197t
Exfoliation, accelerated test for aluminum alloy susceptibility to, 197t

F

Ferric chloride, stainless steel vs, 239t
Film, passive, growth on chromium-nickel alloys, 73t
", boehmite, aluminum protected by, 143t
", on aluminum alloys, 406t
", corrosion, on Inconel in ammoniated water, 21t

F—Continued

Film, surface, gas compression plant, 70t
Fireside metal parts, slag and fuel oil ash vs, 91t
Fission products, decontaminants evaluation for, 224t
Flow, turbulent, effects of on electrochemical reaction, 338t
Foodstuffs, boehmite protection of aluminum against, 143t
Fuel oil ash corrosion, sulfated vanadium slag role in, 57t
" " ", metals vs, 95t

G

Galvanic coupling, Inconel with other metals in reactors, effect of, 21t
Galvanic action of carbon steel-stainless steel, 224t
" couple, steel-nickel, tap water vs, 239t
Gas compression plant, corrosion rate calculations for, 70t
" ", electrical resistance corrosion probes measure corrosion rates in, 70t
Gas evolution, corrosion rates of steel in inhibited HCl measured by, 37t
Gases evolved at magnesium anodes and cathodes in neutral salt solutions, 125t
Generator, steam, heat exchanger materials tested in, 10t

H

Hafnium-containing zirconium, HCl vs, 103t
Hairpin tube heat exchangers, testing facility for, 10t
Hardness, hydrogen sulfide attack on aluminum-containing steels affects, 253t
" of scale, nickel-aluminum alloys, 129t
", steel cavitation erosion affected by, 181t
Hastelloy C, columbium corrosion resistance compared with, 67t
" ", fuel oil ash corrosion of, 91t
Hastelloy D, fuel oil ash corrosion of, 95t
Haynes-Stellite 31, fuel oil ash corrosion of, 95t
Heat exchanger materials, test facility for evaluation of, 10t
" ", " of construction, testing of, 27t

HEAT TREATMENT
- Aluminum-containing steels, 253t
- Aluminum stress corrosion affected by, 158t
- Copper corrosion product growths related to, 116t
- Effects of on stress-corrosion cracking susceptibility, 322t
- Inconel for reactors, 21t
- Zircaloy-2 corrosion related to, 45t

Heavy hydrogen evolution in neutral salt solutions, 125t
Heavy water plus sodium chloride, electrolysis of, 125t
Heptamethylenimine, inhibitor effectiveness of, 37t
Hexamethylenimine, inhibitor effectiveness of, 37t
High tensile steel, electrolytic stress corrosion testing of, 5t
Humidity, research on effects of, 311t
Hydrated oxides, aluminum, determination of, 143t
Hydrazine, oxygen depletion by in aqueous ammonia, 85t
Hydrochloric acid, see Acid, hydrochloric

HYDROGEN
- Absorption by electrode, 338t
- Absorption by steel, effects of, 79t
- ", mild steel in sulfuric acid, 259t
- " of zirconium alloys in 500 C steam, 33t
- Blistering, steels in hydrogen sulfide, 119t
- Cracking, 322t
- Desorption rate of steel, effects of, 79t
- Effusion method, rate measurement by, 163t
- Embrittlement of tantalum-titanium alloys, 205t
- -Hydrogen sulfide, aluminum-containing steels vs, 253t
- Magnesium electrode evolution of in neutral salt solutions, 125t
- Peroxide-alkaline carbonate solution, carbon steel vs, 224t
- Peroxide-alkaline carbonate solution, stainless steel vs, 224t

H—Continued

HYDROGEN (continued)
- Peroxide-sodium chloride solution, aluminum alloy stress corrosion in, 158t
- Saturation level for steel, 79t
- Sulfide, aluminum-steel vs, 253t
- ", nickel vs, 433t
- ", steels vs, 119t
- ", steel in ammonium chloride affected by, 169t

I

Imines, cyclic, inhibitor effectiveness of, 37t
Impedance measurements in research methods, 338t
Impingement corrosion, copper and copper alloys in water, 189t
Inconel, ammoniated water vs, 21t
", cavitation erosion of, 181t
", primary coolants of pressurized water reactors vs, 21t
", steam generator materials of tested in simulated nuclear system, 27t
Inhibition, application of potentiostatic methods to, 338t

INHIBITORS
- Action of in passivating iron, 359t
- Adsorption and chemisorption of, 332t
- Amine and imine, 332t
- Amine type, ammonium chloride attack on steel affected by, 169t
- Arsenic compounds, metal salt concentrated solution attack on steel reduced by, 176t
- Chromates as, 316t
- Effectiveness, laboratory evaluation of related to structure, 37t
- Inorganic, for fuel in ash corrosion, 91t
- ", osmium oxide, 316t
- ", potassium dichromate, NaCl attack on magnesium reduced by, 239t
- ", sodium phosphate attack on steel reduced by, 176t
- ", theory of, 316t
- Organic, advances in, 332t
- ", ambiodic for hydrochloric acid, 262t
- " amines, metal salt concentrated solution attack on steel reduced by, 176t
- ", effectiveness of in hydrochloric acid, 262t
- ", hydrochloric acid attack on aluminum-zinc reduced by, 218t
- ", methylation affects, 262t
- ", N-containing compounds as, 37t
- ", phenylthiourea, 396t

Instruments, light-scattering method for measuring corrosion rates with, 55t
", oscilloscope, rotating-electrode corrosion current detection by, 239t
Intercrystalline corrosion, aluminum alloy susceptibility to, 197t
Intergranular attack, zirconium in hydrochloric acid, 103t
" corrosion, sulfur vs nickel, 433t
" cracking, 322t
Internal oxidation, nickel-aluminum alloys, oxygen pressure effect on, 129t

IRON
- Alloys, polarization curves of, 73t
- -Aluminum alloys, 253t
- Ammonium nitrate solutions vs, 1t
- Anodic protection of, 359t
- -Chromium alloys, fuel oil ash corrosion of, 95t
- " alloys, polarization curves of, 73t
- Corrosion diagrams for in oxidizing media, 437t
- Dissolution rates affected by surfactants, 351t
- High temperature slag corrosion of, 95t
- H_2S-CO_2-H_2O vs, 119t
- Hydrochloric acid vs, 262t, 351t, 396t
- Hydrochloric acid inhibition towards, 262t
- Impurity in zirconium, HCl attack related to, 103t
- Passivation of, 316t
- Ratio to silicon in aluminum, effect on boehmite film formation, 143t
- Sulfuric acid vs, 396t

K

Kinetics of oxidation, refractory metals, 382t
", zirconium in hydrochloric acid, 103t
Kraft pulp digester, anodic protection of, 359t

L

Lamellar corrosion, accelerated test for aluminum alloys susceptibility to, 197t
Layer corrosion, accelerated test for aluminum alloy susceptibility to, 197t
Light-scattering method for measuring corrosion rates, 55t
Lime, hydrated, fuel oil ash attack of metals inhibited by, 91t
Lithium hydroxide, mild steel vs, 401t
" " treated water, autoclave testing of Inconel in, 21t
Lithium liquid, mass transfer of Type 316 stainless steel by, 43t
Loop testing of Inconel in lithium hydroxide treated water, 21t

M

MAGNESIUM
- -Aluminum alloys, stress corrosion of, 158t
- -Aluminum-zinc, sodium chloride vs, 239t
- Anodes, gases evolved at in neutral salt solutions, 125t
- ", heavy water in neutral salt solutions vs, 125t
- Chloride, austenitic stainless steels vs, 270t
- Chloride-nitric acid solution vapor, austenitic stainless steel vs, 230t
- Chloride, stress-corrosion cracking of austenitic stainless steels in, 378t
- Oxide, fuel oil ash attack of metals inhibited by, 91t

Magnetite, mild steel in sodium hydroxide forms, 163t
", mild steel in lithium hydroxide protected by, 401t

MANGANESE
- Alloys, fuel oil ash corrosion of, 95t
- Impurity in zirconium, HCl attack related to, 103t
- In iron, slags vs, 95t
- Zircaloy-2 containing impurities of vs high temperature water, 45t

Martensite, mild steel welds in sodium hydroxide form, 163t
Mass transfer corrosion of Type 316 stainless steel by liquid lithium, 43t
Materials of construction, heat exchanger, test facility for evaluating, 10t
Measurement, light-scattering method to determine corrosion rates, 55t

MECHANISM
- Alkali attack on mild steel, 401t
- Boehmite film formation on aluminum, 143t
- Cavitation erosion of metals, 181t
- Copper and copper alloys vs water, 189t
- Crack propagation in stress-corrosion cracking of austenitic stainless steel, 230t
- Gas evolution at magnesium electrodes in neutral salt solutions, 125t
- Inhibition using phenylthiourea, 396t
- Iron corrosion in ammonium nitrate solutions, 1t
- Iron oxide film formation, 368t
- Layer corrosion of aluminum alloys, 197t
- Nickel-aluminum alloys, internal oxidation of, 129t
- Passivation of iron by inorganic inhibitors, 316t
- passive film growth on ferritic and austenitic stainless steels, 73t
- Steel, mild, in sodium hydroxide, 163t
- Stress-corrosion cracking of austenitic stainless steels, 270t
- Stress-corrosion cracking of steels in calcium chloride, 425t
- Stress corrosion of high strength cast aluminum alloys, 158t
- Sulfidation of steel containing aluminum, 253t
- Tin, phosphoric acid vs, 153t
- Water vs copper and copper alloys, 189t
- Wedging action of solid corrosion product in stress-corrosion cracking, 230t
- Zirconium vs hydrochloric acid at high temperature, 103t

Metals, refractory, kinetics of oxidation of, 382t
", shot peening for protection against stress-corrosion cracking, 17t
Methylation, organic inhibitors affected by, 262t
Milk cans, aluminum, boehmite films to protect, 143t

M—Continued

Mill scale on carbon steel, aqueous ammonia vs, 85t
Molybdenum additions to alloys, fuel oil ash corrosion resistance affected by, 95t
Molybdenum, oxidation kinetics of, 382t
Multiple regression analysis, gas compression plant use of, 70t

N

NICKEL
-Aluminum alloys, oxygen pressure effect on internal oxidation of, 129t
Austenitic stainless steel stress corrosion affected by content of, 270t
-Chromium alloys, fuel oil ash corrosion of, 95t
" ", polarization curves of 73t
Hydrogen sulfide vs, 433t
Impurity in zirconium, HCl attack related to, 103t
-Iron alloys, aluminum addition effect on sulfidation of, 253t
-Steel couple, tap water vs, 239t
Sulfur vs, 433t

Nicotinic acid, inhibition of hydrochloric acid attack on aluminum-zinc by, 218t
Niobium-containing columbium alloy, laboratory testing of, 67t
Nitrate ion, passivation of tin in phosphoric acid affected by, 153t
Nitrates, iron vs, 1t
Nitric acid, see Acid, nitric
Nitrogen atmosphere, ammonium chloride attack on steel affected by, 169t
" compounds, organic, structural effects on inhibiting quality of, 37t
", slag-induced corrosion of Type 310 stainless steel in atmosphere of, 57t
" Zircaloy-2 containing impurities of vs high temperature water, 45t
Nonamethylenimine, inhibitor effectiveness of, 37t
Notch specimen preparation, austenitic stainless steel, 230t
Nuclear power generation system, columbium used in, 67t
" reactor, boiling-water, steel vs environment of, 368t
" ", decontaminants evaluation for, 224t
" ", fuel chambers, cladding alloys for, 406t
" ", stress-corrosion cracking in, 368t

O

Octamethylenimine, inhibitor effectiveness of, 37t
Oil well packer fluids, alloy steels vs, 176t
Optical elements of light-scattering apparatus used to measure corrosion rates, 55t
Osmium oxide as inhibitor, 316t

OXIDATION
Aluminum-containing steels, 253t
Breakaway, of zirconium alloys in steam, 33t
Cobalt and cobalt alloys, 421t
Columbium and columbium alloys, 67t
Internal, nickel-aluminum alloys, oxygen pressure effect on, 129t
Kinetics for columbium, molybdenum, tantalum and tungsten, 382t
Oxide, aluminum, film measurement of, 143t
", copper, crystal growth of, 116t
Oxidizing media, corrosion diagrams for metals in, 437t

OXYGEN
Carbon steel-stainless steel welds, galvanic action with, 224t
Cathodic polarization of soil affected by, 247t
Copper whisker growth accentuated by, 116t
Depletion by hydrazine in aqueous ammonia, 85t
Dissolved, copper in water affected by, 189t
Effect of in nuclear reactor water, 268t
Effect on attack, carbon steel vs aqueous ammonia, 85t
In passivation of iron, 316t
Pressure effect on nickel-aluminum alloy oxidation, 129t
Slag-induced corrosion of Type 310 stainless steel in atmosphere of, 57t
Tantalum-titanium absorption of, 205t

P

Packer fluids, oil well, steel vs, 176t
Paint, fuel oil ash attack on metal surfaces reduced by application of, 91t
Passivation, carbon steel in aqueous ammonia, 85t
", magnesium in neutral salt solutions, 125t
", tin in phosphoric acid, 153t
", iron and steels, 359t
Passivity, active-passive metals, conditions for, 136t
" index, alloy behavior prediction from, 136t
" metals in oxidizing media, 437t
", research studies of, 311t
", theory of when applying inorganic inhibitors, 316t
Peening, shot, stress-corrosion cracking of steels reduced by, 17t
Periodic electrochemical-mechanical mechanism of crack propagation, 322t
Permanganate, alkaline, stainless steel vs, 224t
Pertechnetate ion, inhibitory properties of, 316t
pH, ammonium chloride attack on steel affected by, 169t
", influence of in steel stress-corrosion cracking in calcium chloride, 425t
", iron corrosion rate in ammonium nitrate related to, 1t
Phenylthiourea as inhibitor of acid attack on iron, 396t
Phosphates, steel vs, 176t
Phosphoric acid, carbon steel-stainless steel welds vs, 224t
Pickling, influence of specimen geometry on hydrogen absorption by steel during, 79t
" of mild steel in sulfuric acid, 259t
Pipelines, potential measurements on, 247t
Piperidine, inhibitor effectiveness of, 37t

PITTING
Alkalies affect mild steel by, 401t
Aluminum in hot water, 143t
Aluminum in sodium chloride, 239t
Carbon steel storage tanks by aqueous ammonia, 85t
Chemical plant environment effects on, 211t
Copper and copper alloys in water, 189t
Dendritic, steel in alkaline permanganate solution, 224t
Electrochemical, wedging action of solid corrosion products aided by, 230t
Mild steel in alkalies, 401t
Pulp mill equipment, 359t
Steam generator materials for pressurized water reactor plants, 27t
Stainless steel in ferric chloride, 239t
Steel in boiling-water nuclear reactor environment, 368t
Steel, mild, in sodium hydroxide, 163t
Titanium susceptibility to in chemical plant environments, 211t
Zirconium in hydrochloric acid, 103t

Phosphates, steel vs, 176t
Platinization of electrodes, 338t
Platinum, hydrogen embrittlement of tantalum-titanium affected by, 205t

POLARIZATION
Aluminum in citric-buffer solution, 239t
Anodic, by inorganic inhibitors, 316t
Curves, alloys, and metallic components, 73t
", anodic protection from analysis of, 359t
", inhibitor studies using, 332t
", iron in ammonium nitrate solutions, 1t
", methods of obtaining in research, 338t
Metals in oxidizing media, 437t
Organic inhibitor effects on, 262t
Potentiostatic, alloy corrosion resistance predetermination by use of, 136t
Measurements of, 239t
Technique, aqueous ammonia corrosivity tests, 85t

Polymethylenimines, inhibitor affectiveness of, 37t
Potassium chloride (dilute), zinc vs, 417t
" nitrate, tin passivated in phosphoric acid solution containing, 153t
", phosphates, steel vs, 176t
Potential, electrochemical, studies of in hydrochloric acid, 262t
", measurements of in stress-corrosion cracking study, 425t
" responses, brass, silver and steel in NaCl, 391t

P—Continued

Potentiodynamic method, inhibition mechanism studied by, 396t
Potentiostatic methods in research, 338t
" polarization measurements, 239t
" " method, alloy corrosion resistance predetermined by, 136t
" tests, layer corrosion susceptibility of aluminum alloys, 197t
Preannealed copper, corrosion growth products on, 116t
Pressure, oxygen, nickel-aluminum alloys, effect on internal oxidation, 129t
", partial, of hydrogen sulfide, effect on steel corrosion, 119t
Prestressed concrete, high tensile steel tested in, 5t
Pressurized water reactor plants, testing steam generator materials for, 27t
" " ", primary coolants of vs Inconel, 21t
Presulfidation, steel in ammonium chloride affected by, 169t
Pretreatment, aluminum food containers, 143t
Preworked copper, corrosion growth products on, 116t
Primary coolants of pressurized water reactors, Inconel corrosion in, 21t
Probes, electrical resistance, corrosion rates correlated using, 70t
Propagation of cracks, theories of, 322t
Pulp mill, anodic protection in, 359t
Pulsing, cavitation erosion study by method of, 181t
Pyridine, inhibiting effectiveness of in hydrochloric acid, 262t
Pyrollidine, inhibitor effectiveness of, 37t

Q

Quinine hydrochloride, inhibition of hydrochloric acid attack on aluminum-zinc by, 218t

R

Radioactive deposits, decontaminants evaluation for, 224t
Radiotracers in inhibitor absorption studies, 332t
Rates, corrosion, light-scattering method for measuring, 55t
Reactor grade zirconium, hydrochloric acid vs, 103t
Reactor, nuclear, decontaminants evaluation for, 224t
" ", fuel chamber cladding alloys for, 406t
Reactors, pressurized water, testing steam generator materials for, 27t
", pressurized water, primary coolants of vs Inconel, 21t
Refining atmospheres, aluminum-containing steels vs, 253t
Refractory materials, fuel oil ash vs, 95t
" metals, columbium used as, 67t
" ", oxidation kinetics of, 382t
Research, electrochemical methods in, 338t
", importance of in corrosion control, 311t
Residual fuel, high temperature attacks of metals by, 91t
Resistivity of soil, probability distribution theory for, 251t
Rest potential in stress-corrosion cracking susceptibility tests, 425t
Rotating-electrode method, corrosion phenomena studies by, 239t

S

Safety measures in applying anodic protection, 338t
Salt content, variations of in soil, 251t
Salt solutions, neutral, gases evolved at magnesium anodes and cathodes in, 125t
Salts, metal, alloy steels vs concentrated solutions of, 176t
Sandblasting, hydrogen desorption rate of steel related to, 79t
Scale, nickel-aluminum alloys, 129t
Secondary water, chemical additions to in testing loops, 10t
Sensitization, steel, stainless, in ammonium chloride affected by, 169t
Ship boilers, fuel oil ash corrosion attack of, 91t
Shot peening of metals for protection against stress-corrosion cracking, 17t
Silchrome, fuel oil ash corrosion of, 91t

SILICON
Effects of in aluminum alloys, 406t
Impurity in zirconium, HCl attack related to, 103t
In iron, slags vs, 95t
Minor alloys, fuel oil ash corrosion of, 95t
Ratio to iron in aluminum, effect on boehmite film formation, 143t
Zircaloy-2 containing impurities of vs high temperature water, 45t

Silver, electrical potential response of in NaCl, 391t
", hydrogen effusion rate method usage of, 163t
Slag, ceramics vs, 95t
", cermets vs, 95t
", corrosion of metallic materials at high temperature, 57t
", high temperature, metals vs, 91t, 95t

SODIUM
Chloride, alloy steels vs, 176t
", aluminum vs, 239t
", disodium hydrogen phosphate, steel vs, 176t
", electrical potential responses of brass, silver and steel in, 391t
" -hydrogen peroxide solution, aluminum alloy stress corrosion in, 158t
", magnesium-aluminum-zinc vs, 239t
" -nitric acid solution vapor, austenitic stainless steel vs, 230t
" solution, gases evolved at magnesium electrodes in, 125t
", steel cavitation erosion in, 181t
", steel vs, 239t
Dichromate, steel vs, 176t
Hydroxide, boiler usage of, 163t
", mild steel vs, 163t
Nitrate (with ammonium nitrate) iron corrosion in, 1t
Phosphate, steel vs, 176t
Sulfate (dilute), zinc vs, 417t
" plus vanadium pentoxide, steels vs, 91t, 95t
" in slag affects steel corrosion, 57t
Vanadate, stainless steel vs slag containing, 57t

Soil conductivity, probability distribution theory for, 251t
", factors affecting salt content of, 251t
", probability distribution theory for conductivity of, 251t
", salt content of, 251t
Specimen geometry and surface roughness, influence of on hydrogen behavior in steel, 79t
Stack tests, corrosion rate measurement by compared with light-scattering method, 55t
Stannic oxide film, passivation of tin related to, 153t
Statistical analysis, gas compression plant use of, 70t
" correlation of corrosion rates obtained with probes, 70t
Steam generators, Inconel, high purity water vs, 21t
" ", materials of construction, 10t
" " ", for pressurized water reactor plants, 27t
Steam, oxidation of zirconium alloys in, 33t
", wet, aluminum vs, 143t
", Zircaloy-2 vs, 45t
", zirconium vs, 33t

STEEL, ALLOY
Boiling-water nuclear reactor environment vs, 368t
Metal salt concentrated solutions vs, 176t
Sodium chloride vs, 176t

STEEL, CARBON
Aqueous ammonia vs, 85t
Boiling-water nuclear reactor environment vs, 368t
Hydrogen peroxide-alkaline carbonate solution vs, 224t
-Stainless steel welds, inhibited phosphoric acid vs, 224t
-Stainless steel welds, galvanic action with oxygen of, 224t
Steam generators, materials of tested in simulated nuclear system, 27t

STEEL, GENERAL
Absorbed hydrogen behavior in, 79t
Aluminum addition affects sulfidation of, 253t
Aluminum-containing, hydrogen sulfide vs, 253t
Aluminum-containing, refinery atmosphere vs, 253t
Chlorides vs, 176t
Corrosion diagrams for in oxidizing media, 437t
Electrical potential response of in NaCl, 391t
High tensile, stress corrosion testing of, 5t
Hydrogen sulfide vs, 119t
Nickel couple, tap water vs, 239t

S—Continued

STEEL, GENERAL (continued)
- Phosphates vs, 176t
- Sodium chloride vs, 239t
- Sodium dichromate vs, 176t
- Sodium phosphates vs, 176t
- Stress cracking of in H_2S-CO_2-H_2O, 119t
- Zinc chloride-calcium chloride vs, 176t

STEEL, MILD
- Alkalies vs, 401t
- Ammonium nitrate causes stress corsion of, 1t
- Cavitation erosion of, 181t
- H_2S-CO_2-H_2O vs, 119t
- Hydrochloric acid vs, 262t
- Lithium hydroxide vs, 401t
- Sodium hydroxide vs, 163t
- Sulfuric acid vs, 259t

STEEL, STAINLESS
- Alkaline permanganate solutions vs, 224t
- Ammonium chloride vs, 169t
- Anodic dissolution curves for, 73t
- Anodic polarization of in sulfuric acid, 136t
- Anodic protection of, 359t
- Boiling-water nuclear reactor environment vs, 368t
- Carbon steel welds, galvanic action with oxygen of, 224t
- Carbon steel welds, inhibited phosphoric acid vs, 224t
- Cavitation erosion of, 181t
- Ferric chloride vs, 239t
- Fuel oil ash corrosion of, 95t
- High purity water vs, 21t
- Hydrochloric acid vs, 351t
- Hydrogen peroxide-alkaline carbonate solution vs, 224t
- Magnesium chloride vs, 239t, 270t
- Magnesium chloride-nitric acid solution vapor vs, 230t
- Notch specimen preparation of, 230t
- Passivity of affected by surfactants, 351t
- Research on protection of, 311t
- Shot peening to prevent stress-corrosion cracking of, 17t
- Slag and fuel oil ash vs, 91t, 95t
- Sodium chloride-nitric acid solution vapor vs, 230t
- Steam generator materials tested in simulated nuclear system, 27t
- Stress-corrosion cracking of, 230t, 270t, 378t, 425t
- Sulfamic acid vs, 224t
- Trace element effects on stress-corrosion cracking of, 378t
- Type 304, columbium compared with, 67t
- Type 310, slag-induced corrosion in nitrogen atmosphere, 57t
- Type 316, mass transfer corrosion of by liquid lithium, 43t

Stress, compressive, effect of on potential responses of metals in NaCl,391t

STRESS-CORROSION CRACKING
- Aluminum alloys, 158t
- General, 322t
- High tensile steel, electrolytic testing of, 5t
- Hydrogen sulfide partial pressure effect, 119t
- Metals in NaCl, 391t
- Nuclear reactor, 368t
- Potential measurements in study of, 425t
- Research on, 311t
- Shot peening of metals for protection against, 17t
- Stainless steels, 169t, 230t, 239t, 270t, 378t
- Steam generator materials for pressurized water reactor plants, 27t
- Steels in hydrogen sulfide, 119t
- Wedging action of solid corrosion product in, 230t

Structural effects of N-containing organic compounds on corrosion inhibition, 37t

Strychnine, inhibition of hydrochloric acid attack on aluminum-zinc by, 218t

Subscale, aluminum-nickel alloys, oxygen pressure related to formation of, 129t

Subscale penetration data, nickel-aluminum alloys, 129t

Sulfate-chloride slag, stainless steel (Type 316) vs, 57t

Sulfate, copper in water affected by addition of, 189t

Sulfate ion as inhibitor, 316t

Sulfated vanadium slag, stainless steel vs, 57t

Sulfidation, steels containing aluminum as affected by, 253t

Sulfide stress cracking, steels, 119t

Sulfur, intergranular corrosion of nickel by, 433t

Sulfur, nickel vs, 433t

Sulfuric acid, see Acid, sulfuric

Superheater, Type 304 steel, cracking of in simulated nuclear system, 27t

S—Continued

Surface preparation, zirconium vs hydrochloric acid, effect of, 103t

Surface, influence of on hydrogen behavior in steel, 79t

Surfactants, effects of on dissolution of iron and passivity of steels in hydrochloric acid, 351t

T

Tanks, storage, carbon steel, aqueous ammonia vs, 85t

Tantalum compared with columbium, 67t

" , oxidation kinetics of, 382t

" , titanium substitution for in alloys, 205t

Tantalum-titanium, hydrochloric acid vs, 205t

" " , oxygen absorption by, 205t

" " , sulfuric acid vs, 205t

Tap water blackening of aluminum, 143t

Technetium, inhibitory properties of the pertechnetate ion, 316t

Teflon, 338t

Temperature, copper corrosion product growth affected by, 116t

Temperature, copper in water affected by, 189t

Temperature, effect of on zinc corrosion in aqueous systems, 417t

TEMPERATURE, HIGH
- Aluminum alloys for water service at, 406t
- Aluminum containing steels in hydrogen sulfide at, 253t
- Boiler slag and fuel oil ash corrosivity at, 91t
- Copper corrosion growth products at, 116t
- Mass transfer corrosion of Type 316 stainless steel by liquid lithium at, 43t
- Nickel-aluminum alloy internal oxidation at, 129t
- Shot peening stresses in steel eliminated at, 17t
- Slag corrosion of metallic materials at, 57t
- Slag corrosion of metals at, 91t, 95t
- Sulfur vs nickel intergranular corrosion affected by, 433t
- Water systems, corrosion products from, 440t
- Zirconium alloy steam exposure at, 33t
- Zirconium in hydrochloric acid at, 103t

Temperature, passivation of tin in phosphoric acid, effect of on, 153t

Temperature, steel stress-corrosion affected by, 425t

" , zirconium vs hydrochloric acid, effect of, 103t

Tensile strength, steels containing aluminum, 253t

Tensile stress, effect of on electrical potential responses of metals in NaCl, 391t

Test facility for evaluating heat exchanger materials, 10t

Testing, autoclave, Inconel vs primary coolants of pressurized water reactors, 21t

" , " , Zircaloy-2 resistance to high temperature water and steam, 45t

" , electrolytic stress corrosion of high tensile steel, 5t

TESTING, FIELD
- High temperature slag corrosion of metals, 91t
- Inconel vs primary coolants of pressurized water reactors, 21t
- Titanium equipment in chemical plants, 211t
- Zirconium alloy oxidation, 33t

TESTING, LABORATORY
- Alloy steels vs metal salt concentrated solutions, 176t
- Aluminum alloy layer corrosion susceptibility, 197t
- Aluminum alloys, stress corrosion of, 158t
- Arsenic affects pickling and hydrogen absorption of mild steel in sulfuric acid, 259t
- Austenitic stainless steel susceptibility to stress corrosion, 270t
- Boehmite films to protect aluminum, 143t
- Cavitation erosion, pulsing technique for study of, 181t
- Columbium and columbium alloys, 67t
- Copper and copper alloy attack by water, 189t
- Effects of surfactants in hydrochloric acid attack on iron and steels, 351t
- Effects of trace elements on stress-corrosion cracking of steels, 378t
- Electrical potential responses of stressed metals in NaCl, 391t
- Electrochemical methods in research, 338t

T—Continued

Electrochemical techniques in corrosion phenomena studies, 239t

Gases evolved at magnesium electrodes in neutral salt solutions, 125t

Heat exchanger materials evaluated, 10t

High temperature slag corrosion of metals, 91t, 95t

Hydrogen behavior in steel, 79t

Identification of corrosion products of cobalt and alloys, 421t

Inhibition of hydrochloric acid attack on aluminum-zinc, 218t

Inhibitive action of phenylthiourea, 396t

Inhibitors (organic, N-containing), 37t

Iron corrosion in ammonium nitrate solutions, 1t

Iron vs H_2S-CO_2-H_2O, 119t

Layer corrosion susceptibility of aluminum alloys, 197t

Lithium hydroxide attack on mild steel, 401t

Metal salt concentrated solutions vs alloy steels, 176t

Nickel-aluminum alloys, oxygen pressure effect on internal oxidation of, 129t

Organic inhibitor effectiveness in hydrochloric acid, 262t

Polarization curves in anodic protection of pulp mill equipment, 359t

Polarization technique, aqueous ammonia corrosivity, 85t

Steam generator materials for pressurized water reactor plants, 27t

Steels, alloy vs metal salt concentrated solutions, 176t

Steel, mild, sodium hydroxide vs, 163t

Steels, nuclear reactor decontaminants vs, 224t

Steel, stainless, ammonium chloride vs, 169t

Steel, stainless, stress-corrosion cracking of, 230t

Steel sulfidation affected by aluminum addition, 253t

Stress-corrosion cracking of steels in calcium chloride, 425t

Stress-corrosion cracking of steels in nuclear reactor environment, 368t

Stress corrosion of high tensile steel in electrolytes, 5t

Tantalum-titanium alloys, hydrochloric and sulfuric acids vs, 205t

Tin vs phosphoric acid, 153t

Titanium, chemical plant environments vs, 211t

Water attack on copper and copper alloys, 189t

Zinc corrosion in pressurized dilute aqueous solution systems, 417t

Zirconium impurities, influence of on high temperature corrosion and reaction kinetics in hydrochloric acid, 103t

Thiourea derivatives, inhibiting action of, 396t

Thiourea, inhibition of hydrochloric acid attack on aluminum-zinc by, 218t

Thiols, inhibiting effectiveness of in hydrochloric acid, 262t

Time-to-fracture as measure of stress-corrosion cracking susceptibility, 425t

Tin, phosphoric acid vs, 153t

TITANIUM
- Alkalis vs, 211t
- Alloys, high temperature slag corrosion of, 95t
- Calcium chloride vs, 211t
- Chemical plant equipment made of, 211t
- Compared to columbium, 67t
- Cylinders, wedging action of solid corrosion product tested using, 230t
- Hydrochloric acid vs, 211t
- Nitric acid vs, 211t
- Potentiostatic polarization methods used with, 136t
- Sulfuric acid vs, 211t
- Tantalum replacement in alloys by, 205t

Toluene-helium, steel cavitation erosion in, 181t

Trace elements, effects of in stress-corrosion cracking of austenitic stainless steels, 378t

Transition, active-passive in metals, 136t

Transgranular cracking, 322t

Transgranular pitting, zirconium in hydrochloric acid, 103t

Transpassivity, metals in oxidizing media, 437t

Triethanolamine, boehmite film production by, for aluminum protection, 143t

Tubes, steam generator (nuclear) cracking and pitting of, 27t

T—Continued

Tubing, copper and copper alloy, water vs, 189t

Tungsten additions to alloys, resistivity to fuel oil ash affected by, 95t

" , oxidation kinetics of, 382t

Tunnelling, steel stress corrosion examples of, 270t

Turbulent flow, effects of on electrochemical reaction, 338t

U

Uranium (oxides) decontaminants evaluation for, 224t

Underground structures, electrolytic stress corrosion tests reproduce conditions existing on, 5t

V

Vacuum heating to prevent intergranular corrosion, 433t

Vanadium pentoxide, slag containing corrodes steel, 57t

Vanadium pentoxide plus sodium sulfate, steels vs, 95t

Vanadium, effect on corrosivity of slag and fuel oil ash, 91t, 95t

Vanadium slags, Type 310 stainless steel vs, 57t

Velocity of water, copper in water affected by, 189t

W

Washing, water, fuel oil ash attack of metals reduced by, 91t

WATER
- Ammoniated, Inconel vs, 21t
- Copper and copper alloys vs, 189t
- Distilled, steel cavitation erosion in, 181t
- Fresh, aluminum vs, 143t
- Heavy, electrolysis of, 125t
- High purity, heat exchanger materials evaluated in, 10t
- " " , Inconel corrosion by in reactors, 21t
- " " , steam generator (reactor) materials tested in, 27t
- " " , stress corrosion cracking of AISI 410 steel in, 17t
- High temperature, Zircaloy 2 vs, 45t
- " " , aluminum alloys for, 406t
- High temperature systems, corrosion products from (bibliography), 440t
- Instrumental method for corrosion rate measurement in, 55t
- Nuclear reactor, steels vs, 368t
- Tap, steel-nickel galvanic couple vs, 239t
- Water-vapor-saturated air, copper vs, 116t
- Vapor, sulfide containing, iron vs, 119t
- Washing, fuel oil ash attack of metals reduced by, 91t
- Zinc vs, 417t

Wedging action, solid corrosion product in stress-corrosion cracking, 230t, 322t

Welds, carbon steel-stainless steel, 224t

" , storage tank, aqueous ammonia vs, 85t

Weld overlays, resistance of in reactions, 21t

Wheel electrode, pipeline potential measured by, 247t

Whiskers, copper oxide formations, 116t

Z

ZINC
- -Aluminum alloy, hydrochloride acid vs, 218t
- Anode system, low potential, 247t
- Chloride-calcium chloride, steel vs, 176t
- Corrosion of in pressurized dilute aqueous solution systems, 417t
- Potassium chloride vs, 417t
- Sodium sulfate vs, 417t
- Water vs, 417t

Zircaloy-2, aluminum impurities affect high temperature water attack on, 45t

" " , copper impurities affect high temperature water attack on, 45t

" " , high temperature water and steam vs, 45t

" " , manganese impurities affect high temperature water attack on, 45t

" " , nitrogen impurities affect high temperature water attack on, 45t

" " , oxidation of, 33t

" " , silicon impurities affect high temperature water attack on, 45t

ZIRCONIUM
- Alloys, oxidation of, 33t
- Compared to columbium, 67t
- Hydrochloric acid vs, influence of impurities, 103t
- Iodide, hydrochloric acid vs, 103t
- Steam vs, 33t

Alphabetical Author Index

CORROSION, Volume 18, 1962

A

Acello, S. J.
Anodic Protection of Austenitic Stainless Steels in Sulfuric Acid-Chloride Media, with N. D. Greene.....286t

Altenpohl, D. G.
Use of Boehmite Films for Corrosion Protection of Aluminum 143t

Andersson, Bengt
Study of Stainless Steel Stress-Corrosion Cracking by Potential Measurements.....425t

Annand, R. R.
See Hackerman, Norman..... 37t

B

Backensto, E. B.
Stress Corrosion Cracking Studies of Austenitic Stainless Steels in Aqueous Ammonium Chloride Solutions, with A. N. Yurick.....169t
Sulfidation Resistance of Aluminum-Containing Steels, with J. E. Prior, J. W. Sjoberg and R. W. Manuel..253t

Barnartt, S.
General Concepts of Stress-Corrosion Cracking 322t
Discussion—Effects of Trace Elements on Stress-Corrosion Cracking of Austenitic Stainless Steels in Chloride Solution....382t

Barrett, J. P.
Laboratory Flow Test for Evaluation of Oil Well Corrosion Inhibitors, with E. E. Claytor, Jr.....277t

Batrakov, V. P.
Corrosion Diagrams of Iron and Steel in Oxidizing Media.....437t

Beavers, W. O.
Discussion-Performance of Titanium vs Other Materials in Chemical Plant Exposures...449t

Beck, F. H.
See Pickering, H. W.....230t

Berry, W. E.
See Copson, H. R..... 21t
Discussion—Shot Peening of Metals for Protection Against Stress-Corrosion Cracking 20t

Betti, A.
Potentiodynamic Analysis of the Influence of Surface Active Agents on the Corrosion Resistance of Common and Stainless Steels in Aqueous Solutions, with L. Cavallaro, G. Trabanelli and F. Zucchi..351t

Bishop, C. R.
Limits of Substitution of Titanium for Tantalum in Corrosion Resistant Alloys, with R. L. Powell.....205t

Bloom, M. C.
See Fraser, W. A.....163t

Corrosion of Steel in Concentrated Lithium Hydroxide Solution at 316 C, with W. A. Fraser and M. Krulfeld.....401t

Discussion—Recent Studies of the Action of Inorganic Inhibitors.322t

Booth, F. F.
An Accelerated Test for Indicating Susceptibility of Aluminum Alloys to Layer Corrosion, with M. K. Budd.....197t

Bowen, H. C.
See Dillon, R. L.....406t

Budd, M. K.
See Booth, F. F.....197t

Burns, Donald L.
Discussion—Some Structural Effects of Organic N-Containing Compounds on Corrosion Inhibition 42t

C

Cartledge, G. H.
Recent Studies of the Action of Inorganic Inhibitors.....316t

Carney, J. E.
Discussion—Sulfidation Resistance of Aluminum-Containing Steels 449t

Cavallaro, L.
See Betti, A. 351t
Potentiodynamic Investigation on the Influence of Phenylthiourea on the Anodic and Cathodic Polarization Curves of Iron in Acid Solution, with L. Felloni, F. Pulidori and G. Trabanelli 396t

Claytor, E. E., Jr.
See Barrett, J. P.....277t

Copson, H. R.
Corrosion of Inconel Nickel-Chromium Alloy in Primary Coolants of Pressurized Water Reactors, with W. E. Berry... 21t

Couper, A. S.
High Temperature Corrosion by Catalytically Formed Hydrogen Sulfide, with Andrew Dravnieks 291t

Cox, B.
Causes of a Second Transition Point Occurring During Oxidation of Zirconium Alloys..... 33t

D

Davis, B. F.
Discussion—Laboratory Flow Test for Evaluation of Oil Well Corrosion Inhibitors.....450t

Dillon, R. L.
A Basis for Design of Aluminum Alloys for High Temperature Water Service, with H. C. Bowen.....406t

Dismukes, Edward B.
A Light-Scattering Method for Measuring Corrosion Rates, with W. S. Wilcox..... 55t

Dravnieks, Andrew
See Couper, A. S.....291t

Dvoracek, L. M.
Use of the Polarization Technique to Study Corrosion in Aqueous Ammonia Systems, with L. L. Neff..... 85t

E

Eckel, John F.
Stress-Corrosion Crack Nucleation and Growth in Austenitic Stainless Steels 270t

Evans, Edward B.
Discussion—Shot Peening of Metals for Protection Against Stress Corrosion Cracking..... 20t
See Wolf, James S.....129t

Every, R. L.
See Riggs, O. L., Jr.....262t

F

Fassell, W. M., Jr.
See Ong, J. N., Jr.....382t

Felloni, L.
See Cavallaro, L.....396t

Finley, Howard F.
Statistical Correlation of Corrosion Rates Obtained with Electrical Resistance Corrosion Probes 70t

Fontana, M. G.
See Pickering, H. W.....230t

Fraser, W. A.
Corrosion of Mild Steel in 40 Percent Sodium Hydroxide Solution at 316 C, with M. C. Bloom.....163t
See Bloom, M. C.....401t

G

Gaul, G. G.
See Vreeland, D. C.....368t

Gegner, P. J.
See Sheppard, R. S.....211t
Discussion—Performance of Titanium vs Other Materials in Chemical Plant Exposures...449t

Gerhold, William F.
See Reinhart, Fred M.....158t

Goodwin, J. G.
See Rubenstein, L. S..... 45t

Greco, Edward C.
Corrosion of Iron in an H_2S-CO_2-H_2O System, with W. B. Wright.....119t

Greenblatt, J. H.
Gases Evolved at Magnesium Anodes and Cathodes in Neutral Salt Solutions.....125t

Greene, N. D.
Predicting Behavior of Corrosion Resistant Alloys by Potentiostatic Polarization Methods....136t
See Acello, S. J.....286t

Greenert, W. J.
High Temperature Slag Corrosion of Metallic Materials
Part 1—Theoretical Considerations of Slag Induced Corrosion 57t
Part 2—Failed Service Parts and Remedial Treatments..... 91t
Part 3—Comparative Resistance of Materials..... 95t

Gregory, D. P.
See Leavenworth, H. W..... 43t

H

Hackerman, Norman
Some Structural Effects of Organic N-Containing Compounds on Corrosion Inhibition, with R. M. Hurd and R. R. Annand..... 37t
Recent Advances in Understanding of Organic Inhibitors.....332t

Hanson, H. R.,
Discussion—Laboratory Flow Test for Evaluation of Oil Well Corrosion Inhibitors.....450t

Hise, D. R.
See Sheppard, R. S.....211t

Hochman, Harry
Discussion—Some Structural Effects of Organic N-Containing Compounds on Corrosion Inhibition 42t

Horton, J. B.
Discussion—Stress-Corrosion Cracking of Steels in Agricultural Ammonia 453t

Hudson, R. M.
Influence of Specimen Geometry and Surface Roughness on Hydrogen Behavior in Steel, with K. J. Riedy and G. L. Stragand..... 79t
Influence of Arsenic on Pickling of and Hydrogen Absorption by Mild Steel in Sulfuric Acid Solutions, with G. L. Stragand.259t

Hurd, R. M.
See Hackerman, Norman..... 37t

J

Johnson, T. E.
Discussion—Effects of Trace Elements on Stress-Corrosion Cracking of Austenitic Stainless Steels in Chloride Solutions 382t

Jules, Edwin
Test Facility for Evaluating Heat Exchanger Materials 10t

K

Kamel, Laila A.
See Ragheb, Adly.....153t

Krulfeld, M.
See Bloom, M. C.....401t

Kuhn, W. E.
Influence of Impurities on the High Temperature Corrosion and Reaction Kinetics of Zirconium in Hydrochloric Acid..103t

Kunkel, E. V.
Discussion—Performance of Titanium vs Other Materials in Chemical Plant Exposure....449t

L

Lang, F. S.
Effects of Trace Elements on Stress-Corrosion Cracking of Austenitic Stainless Steels in Chloride Solutions 378t

Lasko, William R.
Unusual Corrosion Growth Products Formed on Copper, with W. K. Tice.....116t

Lawlar, J. B.
Discussion—Stress-Corrosion Cracking of Steels in Agricultural Ammonia.....452t

Leavenworth, H. W.
Mass Transfer of Type 316 Stainless Steel, by Liquid Lithium (A Technical Note), with D. P. Gregory..... 43t

Logan, H. L.
Discussion—General Concepts of Stress Corrosion Cracking..451t

Loginow, A. W.
Stress-Corrosion Cracking of Steels in Agricultural Ammonia, with E. H. Phelps.....299t

Loucks, C. M.
Discussion—Corrosion of Steel in Concentrated Lithium Hydroxide Solution at 316 C..405t

M

Macleary, Donald L.
Testing of Columbium and Columbium Alloys 67t

Makrides, A. C.
Some Electrochemical Methods in Corrosion Research.....338t

Mann, G. M. W.
Discussion—Corrosion of Mild Steel in 40 Percent Sodium Hydroxide Solution at 316 C..451t

Manuel, R. W.
See Backensto, E. B.....253t

Mason, J. F.
Discussion—Sulfidation Resistance of Aluminum Containing Steels.....449t

McGrew, John W.
Testing Steam Generator Materials for Pressurized Water Reactor Plants..... 27t

Morgan, F. A.
Discussion--Laboratory Flow Test for Evaluation of Oil Well Inhibitors 450t

Mueller, Walter A.
Derivation of Anodic Dissolution Curve of Alloys from Those of Metallic Components..... 73t
The Polarization Curve and Anodic Protection 359t

Muir, P. D.
Discussion—Correlation of Oil-Soluble, Water Dispersible Corrosion Inhibitors in Oil Field Fluids 450t

N

Nathan, C. C.
Correlations of Oil-Soluble, Water-Dispersible Corrosion Inhibitors in Oil Field Fluids..282t
Discussion—Study of Organic Inhibitors for Hydrochloric Acid Attack on Iron.....449t
Discussion—Laboratory Flow Test for Evaluation of Oil Well Corrosion Inhibitors.....450t

Neff, L. L.
See Dvoracek, L. M..... 85t

Nelson, E. E.
Discussion—Microbiological Corrosion in Waterfloods.....247t

Nobe, Ken
Electrical Potential Responses of Silver, Steel and Brass Stressed in Tension in Sodium Chloride Solutions, with S. Tan.....391t

O

Obrecht, Malvern F.
Theory of Copper and Copper Alloy Corrosion by Water....189t

Ong, J. N., Jr.
Kinetics of Oxidation of Columbium and Other Refractory Metals, with W. M. Fassell, Jr. 382t

Ostroff, A. G.
Corrosion of Alloys Steels in Hot Concentrated Metal Salt Solutions 176t

P

Peabody, A. W.
Discussion—The Low Potential Zinc Anode in Theory and Application 249t

Pearl, W. L.
See Vreeland, D. C.....368t

Phelps, E. H.
See Loginow, A. W. 299t
Electrochemical Techniques for Measurement and Interpretation of Corrosion....239t

Pickering, H. W.
Wedging Action of Solid Corrosion Product During Stress Corrosion of Austenitic Stainless Steels, with F. H. Beck and M. G. Fontana.....230t

Plesset, Milton S.
Pulsing Technique for Studying Cavitation Erosion of Metals..181t

Potter, E. C.
Discussion—Corrosion of Mild Steel in 40 Percent Sodium Hydroxide Solution at 316 C.....451t

Powell, R. L.
See Bishop, C. R.....205t

P—Continued

Prazák, M.
Discussion—Predicting Behavior of Corrosion Resistant Alloys by Potentiostatic Polarization Methods 449t

Prior, J. E.
See Backensto, E. B.....253t

Pulidori, F.
See Cavallaro, L.....396t

R

Ragheb, Adly
Anodic Behavior and Passivation of Tin in Solutions Containing Phosphoric Acid, with Laila A. Kamel.....153t

Rama Char, T. L.
See K. G. Sheth.....218t

Reinhart, Fred M.
Stress Corrosion of High Strength Cast Aluminum Alloys, with W. F. Gerhold.....158t

Rice, James K.
Discussion—Corrosion of Steel in Concentrated Lithium Hydroxide Solution at 316 C.....405t

Rice, LaVern
Discussion—Performance of Titanium vs other Materials in Chemical Plant Exposures..449t

Riedy, K. J.
See Hudson, R. M.....79t

Riggs, O. L., Jr.
Study of Organic Inhibitors for Hydrochloric Acid Attack on Iron, with R. L. Every.....262t

Roebuck, A. H.
Discussion—A Basis for Design of Aluminum Alloys for High Temperature Water Service....406t

Rowe, J. A. Jr.
Discussion—Laboratory Flow Test for Evaluation of Oil Well Corrosion Inhibitors..450t

Rubenstein, L. S.
Effect of Five Impurities on the High Temperature Water and Steam Corrosion Resistance of Zircaloy-2, with J. G. Goodwin and F. L. Shubert....45t

Ryzner, W. J.
Discussion—Corrosion of Steel in Concentrated Lithium Hydroxide Solution at 316 C.....405t

S

Scharfstein, L. R.
Discussion—Stress Corrosion Cracking of Steels in Agricultural Ammonia.....452t

Scott, Gordon N.
A Theory for the Probability Distribution of Soil Conductivity.....251t

S—Continued

Sheppard, R. S.
Performance of Titanium vs Other Materials in Chemical Plant Exposures, with D. R. Hise, P. J. Gegner and W. L. Wilson.....211t

Sheth, K. G.
Corrosion Inhibition of Aluminum-Zinc Alloy in Hydrochloric Acid Solutions, with T. L. Rama Char.....218t

Shubert, F. L.
See Rubenstein, L. S.....45t

Shulman, S. L.
See Weast, R. C.....417t

Sjoberg, J. W.
See Backensto, E. B.....253t

Smialowski, M.
Corrosion of Iron in Solutions Containing Ammonium Nitrate, with Z. Szklarska-Smialowska....1t

Stern, Milton
Discussion—Recent Studies of the Action of Inorganic Inhibitors 321t
Discussion—Recent Advances in Unaerstanding of Organic Inhibitors 337t
Discussion—Some Electrochemical Methods in Corrosion Research 348t

Steverding, Bernard
Intergranular Sulfur Corrosion in Missile Thrust Chamber Nickel Tubes 433t

Stragand, G. L.
See Hudson, R. M.....79t, 259t

Suss, Henry
Shot Peening of Metals for Protection Against Stress-Corrosion Cracking 17t

Szklarska-Smialowska, Z.
See Smialowski, M.....1t

T

Tan, S.
See Nobe, Ken.....391t

Thompson, David F.
Discussion—Shot Peening of Metals for Protection Against Stress Corrosion Cracking.....20t

Tice, Warren K.
See Lasko, William R.....116t

Tingley, Irvine I.
Discussion—Influence of Impurities on the High Temperature Corrosion and Reaction Kinetics of Zirconium in Hydrochloric Acid.....115t

Trabanelli, G.
See Betti, A.....351t
See Cavallaro, L.....396t

Troscinski, E. S.
Discussion—Stress-Corrosion Cracking of Steels in Agricultural Ammonia 452t

U

Uhlig, H. H.
The Importance of Corrosion Research 311t
Discussion—General Concepts of Stress-Corrosion Cracking.....330t

Unz, M.
Electrolytic Stress-Corrosion Testing of High Tensile Steel Bars 5t

V

Vreeland, D. C.
Corrosion of Carbon Steel and Other Steels in Simulated Boiling-Water Reactor Environment: Phase II, with G. G. Gaul and W. L. Pearl.....368t

W

Weast, R. C.
Corrosion of Zinc in Pressurized Dilute Aqueous Solution Systems, with S. L. Shulman....417t

Weed, R. D.
Evaluation of Nuclear Reactor Decontaminants 224t

Wijngaard, B. H.
Discussion—Continuous Recording of Pipe to Soil Potential vs Distance 248t

Wilcox, William S.
See Dismukes, Edward B.....55t

Wilson, W. L.
Performance of Titanium vs Other Materials in Chemical Plant Exposures, with D. L. Hise, R. S. Sheppard and and P. J. Gegner.....211t

Wolf, James S.
Effect of Oxygen Pressure on Internal Oxidation of Nickel-Aluminum Alloys.....129t

Wright, William B.
See Greco, Edward C.....119t

Y

Yurick, A. N.
See Backensto, E. B.....169t

Z

Zastrow, O. W.
Discussion—The Low Potential Zinc Anode in Theory and Application 249t

Zucchi, F.
See Betti, A.....351t

Zvejnieks, A.
Discussion—Some Structural Effects of Organic N-Containing Compounds on Corrosion Inhibition 42t

CORROSION

Official Publication

NATIONAL ASSOCIATION
OF
CORROSION ENGINEERS

●

VOLUME 18

JANUARY THROUGH DECEMBER

1962

●

EDITORIAL AND BUSINESS OFFICES
1061 M & M BLDG., HOUSTON 2, TEXAS

●

(Contents of the Issues Included in This Volume Are Copyrighted and May Not Be Reproduced
Without Permission of the Association)

ERRATA—CORROSION, Volumes 17 and 18

Corrosion Control Advantages of Polyamide-Epoxy Coatings, by Donald L. Anderson, David W. Glaser and Harold Wittcoff. Corrosion, Vol. 17, 9-7 (1961) Dec.

On page 12, Table 6, third line of Footnote No. 1 should be amended to read:

following vehicle: PA 4, 60; Epoxy 1, 40; Epon X-71 10 parts by weight

Testing Steam Generator Materials for Pressurized Water Reactor Plants, by John W. McGrew. Corrosion, Vol. 18, 27t-32t (1962) Jan.

On page 31t, caption line for Figure 17 should be amended to read:

Figure 17—Inconel superheater tubes, showing thin boiler scale, 0.004 inch.

Corrosion of Carbon Steel and Other Steels in Simulated Boiling-Water Reactor Environment: Phase II, by D. C. Vreeland, G. G. Gaul and W. L. Pearl. Corrosion, Vol. 18, 368t-377t (1962) Oct.

On page 376t, caption line for Figure 9 should be amended to read:

Figure 9—Specimens without descaling (left to right) AISI Type 502, "T-1" steel, ASTM A302B and ASTM A212B steels after exposure in the boiling-water test loop during several test runs and shutdown periods. Approximately 0.8 actual size.